

Temp. [K]	Pt [Ω]	Pt-Co [Ω]
270	98.784	98.889
210	75.044	77.493
180	62.98	66.583
140	46.648	51.734
105	32.081	38.341
85	23.525	30.508
75	19.223	26.569
65	15.015	22.669
58	12.18	20.007
52	9.924	17.814
46	7.909	15.746
42	6.726	14.461
40	6.17	13.853
38	5.65	13.27
36	5.146	12.716
32	4.235	11.701
30	3.82	11.246
25		10.263
20		9.606
15		8.945
10		8.483
4		7.792

